













CUSTOMER BENEFITS



Intuitive operability

Operate the bizhub like a smartphone or tablet with fully customized user interface



Mobile connectivity

Print anytime from anywhere with Konica Minolta's innovative mobile technologies



Security

Secure network integration, data encryption, and advanced user authentication



Services

Efficient printer fleet management, including automatic consumables delivery, pro-active maintenance and remote setup




Sustainability

Numerous eco features reduce energy consumption and costs

OPTIONS











Keyboard holder KH-P02

External Keyboard



Paper tray PF-P21

Height adjustment unit PF-P25

Copy desk DK-P05



Off-line stapler FS-P04

FINISHING FUNCTIONALITIES





Duplex

Corner stapling (offline)

DESCRIPTIONS

ENHANCED FEATURES	
LK-116 Antivirus*	Bitdefender® Antivirus provides real time scanning
	of all incoming and outgoing data
CONNECTIVITY	
FK-517 Fax board	Super G3 fax; digital fax functionality
UK-221 Wireless LAN	Wireless LAN and wireless LAN Access Point Mode
EK-P08 USB I/F kit	USB keyboard connection
EK-P09 USB I/F kit	USB keyboard connection; Bluetooth
EK-P10 NFC interface	To connect with Android mobile devices
AU-102 Biometric authenticaton	Finger vein scanner
ID card reader	Various ID card technologies
MK-P08 Mount kit	Installation kit for ID card reader

WT-P03 Working table	Authentication device placement	
KP-P03 10-Key pad	For use instead of touchscreen	
Keyboard	Keyboard for alphanumeric data entry	
KH-P02 Keyboard holder	To place USB keyboard	
MEDIA INPUT		
	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 gsm (max. 1)	
	500 sheets, 8.5" x 11" or 8.5" x 14", 60-90 gsm (max. 1) To achieve comfortable height for operation	
PF-P21 Paper tray		
PF-P21 Paper tray PF-P25 Height adjustment unit	To achieve comfortable height for operation	

TECHNICAL SPECIFICATIONS

SYSTEM SPECIFICATIONS

Panel size/resolution	7" / 800 x 480	
System memory (standard/max)	4 GB	
Micro SD	16 GB (standard)	
Interface	10/100/1,000-Base-T Ethernet; USB 2.0;	
	Wi-Fi 802.11 b/g/n (optional)	
Network protocols	TCP/IP (IPv4/IPv6); SMB; LPD; IPP; SNMP;	
	HTTP(S); AppleTalk; Bonjour	
Automatic document feeder (standard)	Up to 80 originals; 5.8" x 8.3" to 8.5" x 14"; 50–128 gsm;	
	Dualscan ADF	
Paper input capacity (standard/max)	600 sheets / 1,100 sheets	
Paper tray input (standard)	1x 500 sheets; 3.9" x 5.8" to 8.5" x 11"; custom sizes; 60–210 gsm	
Paper tray input (optional)	1x 500 sheets; 8.5" x 11" to 8.5"x14"; 60–90 gsm	
Manual bypass	100 sheets; 3.5" x 8.8" to 8.5" x 14"; custom sizes; 60–210 gsm	
Automatic duplexing	8.5" x 11"; 60–210 gsm	
Finishing modes (optional)	Group; Sort; Staple (offline)	
Output capacity (standard)	Max. 250 sheets	
Copy/print volume (monthly)	Rec. 6,500 pages; Max. ¹ 96,000 pages	
Toner lifetime	Black up to 13,000 pages	
	CMY up to 9,000 pages	
Imaging unit lifetime	Black up to 200,000 pages (imaging unit)	
	CMY up to 100,000 pages (imaging unit)	
Power consumption	110–120 V / 50/60 Hz; Less than 1.45 kW	
System dimension (W x D x H)	16.5" x 20.7" x 22.5" (without options)	
System weight	Approx. 84 lb (without options)	
PRINTER SPECIFICATIONS		
Print resolution	1,800 (equivalent) x 600 dpi; 1200 x 1200 dpi	
Print speed	Up to 35/35 ppm (mono/color)	
Page description language	PCL 6 (XL3.0); PCL 5c; PostScript 3 (CPSI 3016); XPS	
Operating System	Windows 7 (32/64); Windows 8/8.1 (32/64); Windows 10	
	(32/64);	
	Windows Server 2008 (32/64); Windows Server 2008 R2;	
	Windows Server 2012; Windows Server 2012 R2;	
	Windows Server 2016; Windows Server 2019;	
	Macintosh OS X 10.10 or later; Unix; Linux; Citrix	
Printer fonts	80 PCL Latin; 137 PostScript 3 Emulation Latin	
Mobile printing	AirPrint (iOS); Mopria (Android);	
	Konica Minolta Mobile Print (iOS/Android/Windows 10 Mobile);	
	Mobile Authentication and Pairing (iOS/Android)	
	31,	

Optional: WiFi Direct

SCANNER SPECIFICATIONS

Scan speed (mono/color)	Up to 30/30 ipm in simplex	
	Up to 58/58 ipm in duplex	
Scan modes	Scan-to-eMail (Scan-to-Me); Scan-to-SMB (Scan-to-Home);	
	Scan-to-FTP; Scan-to-USB; Scan-to-WebDAV; Scan-to-URL	
File formats	JPEG; TIFF; PDF; Compact PDF; Encrypted PDF; XPS;	
	Compact XPS; PPTX	
Scan destinations	2,100 (single + group); LDAP support	

COPIER SPECIFICATIONS

Imaging technology	Laser	
Toner technology	Simitri® HD polymerized toner	
Copy/print speed (mono/color)	Up to 35/35 ppm	
Autoduplex speed (mono/color)	Up to 35/35 ppm	
1st copy out time	6.0/7.2 sec.	
Warm-up time	Approx. 13 sec. in mono; 15 sec. in color ²	
Copy resolution	600 x 600 dpi	
Gradation	256 gradations	
Multicopy	1–9,999	
Original format	3.9" x 8.8" to 8.5" x 14"; Custom sizes	
Magnification	25–400% in 0.1% steps; Auto-zooming	

FAX SPECIFICATIONS

Super G3 (optional)	
Analogue; i-Fax; Color i-Fax; IP-Fax	
Up to 600 x 600 dpi	
MH; MR; MMR; JBIG	
Up to 33.6 Kbps	
2,100 (single + group)	
	Analogue; i-Fax; Color i-Fax; IP-Fax Up to 600 x 600 dpi MH; MR; MMR; JBIG Up to 33.6 Kbps

^{*}Not available at time of launch

SYSTEM FEATURES		
Security Functions (standard)	IP filtering and port blocking; SSL2; SSL3 and TLS1.0/1.1/1.2	
	network communication; IPsec support; IEEE 802.1x support;	
	User authentication; Authentication log; Secure print; Kerberos	
Security Functions (optional)	Antivirus realtime scanning (Bitdefender®)	
Accounting (standard)	Up to 100 user accounts; Active Directory support (user name +	
	password + e-mail + smb folder); User function access definition	
Accounting Functions (optional)	Biometric authentication (finger vein scanner);	
	ID card authentication (ID card reader);	
	Authentication by mobile device (Android/iOS)	
Software	Net Care Device Manager; Data Administrator;	
	Web Connection; Print Status Notifier; Driver Packaging Utility;	
	Log Management Utility	

- $^{\rm 1}$ If the maximum volume is reached within a period of one year, then a maintenance cycle must be performed
- $^{\rm 2}$ Warm-up time may vary depending on the operating environment and usage
- All specifications refer to letter-size paper of 80 gsm quality.
- The support and availability of the listed specifications and functionalities varies depending on operating systems, applications and network protocols as well as network and system configurations.
- The stated life expectancy of each consumable is based on specific operating conditions such as page coverage for a particular page size (5% coverage of letter). The actual life of each consumable will vary depending on use and other printing variables including page coverage, page size, media type, continuous or intermittent printing, ambient temperature and humidity.
- Some of the product illustrations contain optional accessories.
 Specifications and accessories are based on the information available at the time of printing and are subject to change
- $Konica\ Minolta\ does\ not\ warrant\ that\ any\ specifications\ mentioned\ will\ be\ error-free.$
- All brand and product names may be registered trademarks or trademarks of their respective holders and are hereby

PARTNERSHIP.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

INFORMATION MANAGEMENT	IT SERVICES	TECHNOLOGY
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	Industrial Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	3D Printers
Mobility	Apple Managed Services	Scanners
eDiscovery Services	Managed Voice Services	Security Surveillance Systems
	Technology Implementation and Deployment	Laptops, Desktops and Computer Hardware
		Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services

For complete information on Konica Minolta products and solutions, please visit: CountOnKonicaMinolta.com



























KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com







